

May 12, 2026

Mayor, Alderman, and Alderwoman of the City of Vicksburg
1401 Walnut Street
Vicksburg, MS 39180

Proposal to Purchase Speed Humps for Approved Streets

As you all are aware, the city amended Chapter 20, Article III of the city ordinance at the end of last year. This amendment added guidelines for the installation of speed humps in residential areas. The Public Works Department has received six speed hump petitions for residential streets since the amendment. Neel Schaffer was contracted by the city to perform traffic studies in these areas and to provide recommended speed hump locations. After completing the traffic study, it was determined that five out of the six streets meet all the requirements outlined in the city ordinance. The five streets, that are approved, for speed humps include National Street, Chambers Street, 1st Avenue, Meadowvale Drive, and Bellaire Drive. Neel Schaffer recommended a total of eighteen speed hump locations on the approved streets.

I have gathered quotes from three separate traffic control companies and have attached them to this proposal. All three companies provided quotes for speed humps composed of recycled rubber, 7 feet in length, and modular width. The attached quotes do not include installation. Installation of the speed humps will be performed in house by the street department. Of the three quotes, the lowest quote was \$56,778.00.

If granted the boards' approval, I would like to purchase the speed humps from the company with the lowest quote. (Traffic Logix Corporation)

Sincerely,
Joshua Burris
City of Vicksburg
Project Manager
601-618-8775



Traffic Logix Corporation
 3 Harriett Lane
 Spring Valley, NY 10977 USA
Tel: (866) 915-6449
Fax: (844) 405-6449
www.trafficlogix.com

Quote Number QUO-55131-W7G3L9
 Created Date 5/8/2026
 Expiration Date 6/12/2026
 Prepared by Nick Farrell

QUOTATION

Contact: Joshua burris
 Phone: 601-618-8775
 Email: jburris@vicksburg.org

City of Vicksburg
 1413 Walnut St
 Vicksburg, Mississippi 39180

Shipping Address:
 1413 Walnut St
 Vicksburg, Mississippi 39180
 United States

Standard Features (Included)

- Prices Shown include - Required Adhesive, Bolts and Anchors (Specified as 4" or 7")
- Color and Markings as Indicated

Special Notes

Quote Line Items – All Prices shown are in \$ US Dollar

Product	Product Code	Quantity	Sales Price	Total Price
7Lx18Wx3" speed hump with MUTCD arrows	SH7183MA	5.00000	\$2,278.00	\$11,390.00
7Lx27Wx3" speed hump with MUTCD arrows	SH7273MA	12.00000	\$3,422.00	\$41,064.00
7Lx30Wx3" speed hump with MUTCD arrows	SH7303MA	1.00000	\$3,804.00	\$3,804.00
7" Speed Hump Lagbolt Kits	23599TL	3,552.00 000	\$0.00	\$0.00
Advanced Polyurethane Anchor Adhesive-400ml.	PU140-LV	356.0000 0	\$0.00	\$0.00
400mL 1:1 dispenser - Applicator Gun	PU-APGUN	2.00000	\$65.00	\$130.00
SDS-Plus Shank Rotary-Hammer Drill Bit 9/16"	23596	6.00000	\$65.00	\$390.00

Totals

Subtotal: \$56,778.00



Traffic Logix Corporation
 3 Harriett Lane
 Spring Valley, NY 10977 USA
Tel: (866) 915-6449
Fax: (844) 405-6449
www.trafficlogix.com

Quote Number QUO-55131-W7G3L9
 Created Date 5/8/2026
 Expiration Date 6/12/2026
 Prepared by Nick Farrell

Discount:	\$2,000.00
Freight:	\$4,985.00
Sales Tax (if applicable):	\$0.00
Grand Total:	\$59,763.00

Terms: 1% - 10 days – Net 30

Payment: MC, VISA, AMEX. Credit card payments over \$10K will include an additional 2% fee.

Tax: IF TAX EXEMPT, Please Provide Tax Exempt Certificate with Order

Freight: Freight quotation is valid for a period of 21 days after it is issued. Beyond that, freight quotations will require confirmation or adjustment.

Changes/Returns: 30% for standard orders and 50% on custom orders.

Warranty: Please refer to the Rubber conditional use warranty terms at the end of this quote.

Delivery Requirements

Please Indicate the availability of the following as this determines the freight costs:

1. Do You have a Loading Dock? - Yes/No
2. Do you have a Forklift and Pallet Jack to unload? - Yes/No
3. Can access be gained by a 53-foot truck for delivery? - Yes/No
4. Is the delivery address a Construction site? - Yes/No
5. Is the delivery address a Military site? - Yes/No
6. If shipping to Military site, is a U.S. Driver required? - Yes/No

Quote Acceptance Information

Signature _____
 Name _____
 Title _____
 Date _____

Thank you for choosing Traffic Logix. Please sign and return to:

nf Farrell@trafficlogix.net
 Nick Farrell
 Account Manager

Please complete to set up new account: <https://trafficlogix.com/business-application-form/>




TRAFFICLOGIX

SPEED HUMPS


Speed humps are raised devices placed across the road to slow traffic. The design over a 7 foot length of space encourages cars to slow down without coming to a halt. Often considered the most traditional physical traffic calming solution, speed humps calm traffic more gradually than speed bumps. They are ideal for residential roads and are widely used to bring speeds to between 10-15 mph. Speed humps should ideally be installed in a series to create ongoing traffic calming. They are best placed mid-intersection on roads.

**As Shown: 7' L x 18' W
with 4 MUTCD White markings**

**Part Number:
SH - 071803-4M**



All markings have reflective qualities and are embedded into the rubber.



SPECIFICATIONS

Dimensions of the modules:

Width: 18" (+/- 1/16")

Length: 42" (+/- 1/8")

Thickness: 3" (+/- 1/8")

Dimensions of the Speed Humps (widths and lengths are adjustable)

Width: from 6' and up by 1.5' increments

Length: from 7' and up by 3.5' increments

Height: 3"

Standard Dimensions of Speed Hump as shown.

Width: 18'

Length: 7'

Height: 3"

Entrance and exit gradient: 1:15

Side gradient: 1:3

Physical properties:

Material: 100% recycled synthetic and natural rubber composite

Tensile strength: minimum 500 psi

Shore hardness: minimum 70A

Specific gravity: 1.1

Markings: Rubber modules are available in all black, black with yellow or white reflective square markings, or with white reflective arrow chevrons.



TRAFFICLOGIX


TRAFFIC CALMING SOLUTIONS

3 HARRIET LANE SPRING VALLEY, NY 10977




SPEED HUMPS

TRAFFICLOGIX Speed humps are raised devices placed across the road to slow traffic. This design over a 7 foot length of space encourages cars to slow down without coming to a halt. Often considered the most traditional of physical traffic calming solutions, speed humps calm traffic more gradually than speed bumps, and more so than speed tables. They are ideal for residential roads and are widely used to bring speeds to between 10-20 mph. Speed humps should ideally be installed in a series to create ongoing traffic calming.



**As Shown: 7' L x 27' W
With 8 White MUTCD**

Part Number SH - 072703-8M



Dimensions of Tongue and Groove modules:

- Width:** 18" (+/- 1/16")
- Length:** 42" (+/- 1/8")
- Thickness:** 3" (+/- 1/8")

Dimensions of the Speed Humps, Speed

Cushions or Speed Tables: (widths and lengths are adjustable)

- Width:** from 6' and up by 1.5' increments
- Length:** from 7' and up by 3.5' increments
- Height:** 3"

Standard dimensions of the Speed Humps,

Speed Cushions or Speed Tables:

- Width:** according to a street width
- Length:** 7', 10.5', 14'
- Height:** 3"

Entrance and exit gradient: 1:15
Side gradient: 1:3

Physical properties:

- Material:** 100% recycled synthetic and natural rubber composite
- Tensile strength:** minimum 500 psi
- Shore hardness:** minimum 70A
- Specific gravity:** 1.1
- Markings:** rubber modules are available in all black, black with yellow or white reflective square markings, or with white reflective arrow chevrons. And, are embedded into the rubber.



TRAFFIC CALMING SOLUTIONS


TRAFFICLOGIX

3 HARRIET LANE SPRING VALLEY, NY 10977



SPEED HUMPS

TRAFFICLOGIX Speed humps are raised devices placed across the road to slow traffic. This design over a 7 foot length of space encourages cars to slow down without coming to a halt. Often considered the most traditional of physical traffic calming solutions, speed humps calm traffic more gradually than speed bumps, and more so than speed tables. They are ideal for residential roads and are widely used to bring speeds to between 10-15 mph. Speed humps should ideally be installed in a series to create ongoing traffic calming.



Dimensions of Patented Tongue and Groove modules:

- Width:** 18" (+/- 1/16")
- Length:** 42" (+/- 1/8")
- Thickness:** 3" (+/- 1/8")

Dimensions of the Speed Humps, Speed Cushions or Speed Tables: (widths and lengths are adjustable)

- Width:** from 6' and up by 1.5' increments
- Length:** from 7' and up by 3.5' increments

Standard dimensions of the Speed Humps, Speed Cushions or Speed Tables:

- Width:** according to a street width
- Length:** 7', 10.5', 14'
- Height:** 3"

- Entrance and exit gradient:** 1:15
- Side gradient:** 1:3

Physical properties:

- Material:** 100% recycled synthetic and natural rubber composite
- Tensile strength:** minimum 500 psi
- Shore hardness:** minimum 70A
- Specific gravity:** 1.1
- Markings:** rubber modules are available in all black, black with yellow or white reflective square markings, or with white reflective arrow chevrons. And, are embedded into the rubber.



TRAFFIC CALMING SOLUTIONS

TRAFFICLOGIX

3 HARRIET LANE SPRING VALLEY, NY 10977

To: Joshua Burris
Company: City of Vicksburg, MS

Date: 5/13/2026
Quote Number: 31010513-2

Item #	Quantity	Description	Unit Price	Total
SH718-3	5	Speed Hump, 100% Recycled Rubber Composite, 7'x18', 3" Height	\$2,650.00	\$13,250.00
SH727-3	12	Speed Hump, 100% Recycled Rubber Composite, 7'x27', 3" Height	\$4,110.00	\$49,320.00
SH730-3	1	Speed Hump, 100% Recycled Rubber Composite, 7'x30', 3" Height	\$4,580.00	\$4,580.00
SRHB916	6	SDS-Plus Shank, Rotary Hammer Drill Bit, 9/16" <i>Pricing Includes 7" Speed Hump Lagbolt Kits</i>	\$82.00	\$492.00
APGUN	3	Dispenser, 400mL Applicator Gun <i>Pricing Includes Advanced Polyurethane Anchor Adhesive-400mL</i>	\$85.00	\$255.00
FREIGHT	1	Shipping to Liberty, MO	\$5,000.00	\$5,000.00
			Subtotal	\$72,897.00
			Tax	N/A
			Total	\$72,897.00

Notification of acceptance is required via E-mail, Contract or Purchase Order

Terms and Conditions:

Applicable sales tax will be added to billings where required
Payment terms as noted in credit application and/or quote
Freight excluded from quote unless otherwise noted
Pricing is effective for 30 days unless otherwise noted

Quote Prepared by:

Kirk Evans

KIRK EVANS

Accepted by:

Signature


Date

Printed Name

Title

CORPORATE
8750 West Bryn Mawr Avenue
Suite 400
Chicago, IL 60631

For a full listing of our products and services, please visit our website:
www.road safetraffic.com



With over 50+ locations and satellite yards across the country, RoadSafe is the national leader in traffic control services and sales.

PROFESSIONAL PAVEMENT PRODUCTS

INC.

2355 Dennis St
 Jacksonville, FL 32204 USA
 9044484074
 PPPCatalog.com



ADDRESS

Joshua Burris
 City of Vicksburg MS
 801 Washington Street
 Vicksburg, Mississippi 39180
 USA

SHIP TO

Joshua Burris
 City of Vicksburg MS
 801 Washington Street
 Vicksburg, Mississippi 39180
 USA

Quote 3310

DATE 05/11/2026

EXPIRATION DATE 06/11/2026

SHIP VIA

RL#TL

SALES REP

James Baker

DATE	DESCRIPTION	QTY	RATE	AMOUNT
I2-8-10-CMP-6.6x18.3	Traficop Complete 6.6ft deep x 18.3ft wide	5	3,208.45	16,042.25
I2-8-10-4BR	TRAFICOP SPEED CUSHION - BLACK RAMP preformed rubber/polyurethane composite speed cushion module 300mm	130	54.35	
I2-8-10-4AR	TRAFICOP SPEED CUSHION - ARROW RIGHT RAMP preformed rubber/polyurethane composite speed cushion module	15	61.50	
I2-8-10-4AL	TRAFICOP SPEED CUSHION - ARROW LEFT RAMP preformed rubber/polyurethane composite speed cushion module	15	61.50	
I2-8-10-4CR	TRAFICOP SPEED CUSHION - BLACK CORNER RIGHT RAMP preformed rubber/polyurethane composite speed cushion module	10	46.45	
I2-8-10-4CL	TRAFICOP SPEED CUSHION - BLACK CORNER LEFT RAMP preformed rubber/polyurethane composite speed cushion module	10	46.45	
I2-8-15-4SBAR	TRAFICOP SPEED CUSHION - STEEL BARS provides cushion stability and structural integrity	30	36.30	
I2-8-15-4THS	TRAFICOP SPEED CUSHION - TORX HEAD SCREW for anchorage of the support bars	95	2.60	

PLEASE NOTE NEW ADDRESS ABOVE

DATE	DESCRIPTION	QTY	RATE	AMOUNT
I2-8-15-5RP	SaferRoads REDI PLUG for installation of all SaferRoads Modules	840	0.55	
I2-8-15-5LB-120	SaferRoads Hex Head 120mm Lag Bolt for installation of Traficop/SiteCop/SiteCop Plus modules.	750	3.00	
I2-8-15-5W	SaferRoads STAINLESS WASHER	750	0.75	
I2-8-15-4BWhite	SaferRoads White Bung	65	0.35	
I2-8-15-4BBlack	SaferRoads Black Bung	690	0.35	
I2-8-15-6RTFIS	SaferRoads 12.2 OZ 2-Part Polyester Resin with Nozzle for installation of all SaferRoads Modules. Approximate 11 Anchors Ea	80	16.60	
I2-8-10-CMP-6.6x27.3	Traficop Complete 6.6ft deep x 27.3ft wide	12	4,839.70	58,076.40
I2-8-10-4BR	TRAFICOP SPEED CUSHION - BLACK RAMP preformed rubber/polyurethane composite speed cushion module 300mm	504	54.35	
I2-8-10-4AR	TRAFICOP SPEED CUSHION - ARROW RIGHT RAMP preformed rubber/polyurethane composite speed cushion module	48	61.50	
I2-8-10-4AL	TRAFICOP SPEED CUSHION - ARROW LEFT RAMP preformed rubber/polyurethane composite speed cushion module	48	61.50	
I2-8-10-4CR	TRAFICOP SPEED CUSHION - BLACK CORNER RIGHT RAMP preformed rubber/polyurethane composite speed cushion module	24	46.45	
I2-8-10-4CL	TRAFICOP SPEED CUSHION - BLACK CORNER LEFT RAMP preformed rubber/polyurethane composite speed cushion module	24	46.45	
I2-8-15-4SBAR	TRAFICOP SPEED CUSHION - STEEL BARS provides cushion stability and structural integrity	120	36.30	
I2-8-15-4THS	TRAFICOP SPEED CUSHION - TORX HEAD SCREW for anchorage of the support bars	372	2.60	
I2-8-15-5RP	SaferRoads REDI PLUG for installation of all SaferRoads Modules	3,036	0.55	
I2-8-15-5LB-120	SaferRoads Hex Head 120mm Lag Bolt for installation of Traficop/SiteCop/SiteCop Plus modules.	2,676	3.00	
I2-8-15-5W	SaferRoads STAINLESS WASHER	2,676	0.75	

PLEASE NOTE NEW ADDRESS ABOVE

DATE	DESCRIPTION	QTY	RATE	AMOUNT
I2-8-15-4BWhite	SaferRoads White Bung	204	0.35	
I2-8-15-4BBlack	SaferRoads Black Bung	2,484	0.35	
I2-8-15-6RTFIS	SaferRoads 12.2 OZ 2-Part Polyester Resin with Nozzle for installation of all SaferRoads Modules. Approximate 11 Anchors Ea	276	16.60	
I2-8-10-CMP-6.6x30.3	Traficop Complete 6.6ft deep x 30.3ft wide	1	5,433.55	5,433.55
I2-8-10-4BR	TRAFICOP SPEED CUSHION - BLACK RAMP preformed rubber/polyurethane composite speed cushion module 300mm	46	54.35	
I2-8-10-4AR	TRAFICOP SPEED CUSHION - ARROW RIGHT RAMP preformed rubber/polyurethane composite speed cushion module	5	61.50	
I2-8-10-4AL	TRAFICOP SPEED CUSHION - ARROW LEFT RAMP preformed rubber/polyurethane composite speed cushion module	5	61.50	
I2-8-10-4CR	TRAFICOP SPEED CUSHION - BLACK CORNER RIGHT RAMP preformed rubber/polyurethane composite speed cushion module	2	46.45	
I2-8-10-4CL	TRAFICOP SPEED CUSHION - BLACK CORNER LEFT RAMP preformed rubber/polyurethane composite speed cushion module	2	46.45	
I2-8-15-4SBAR	TRAFICOP SPEED CUSHION - STEEL BARS provides cushion stability and structural integrity	12	36.30	
I2-8-15-4THS	TRAFICOP SPEED CUSHION - TORX HEAD SCREW for anchorage of the support bars	37	2.60	
I2-8-15-5RP	SaferRoads REDI PLUG for installation of all SaferRoads Modules	283	0.55	
I2-8-15-5LB-120	SaferRoads Hex Head 120mm Lag Bolt for installation of Traficop/SiteCop/SiteCop Plus modules.	247	3.00	
I2-8-15-5W	SaferRoads STAINLESS WASHER	247	0.75	
I2-8-15-4BWhite	SaferRoads White Bung	21	0.376	
I2-8-15-4BBlack	SaferRoads Black Bung	227	0.35	
I2-8-15-6RTFIS	SaferRoads 12.2 OZ 2-Part Polyester Resin with Nozzle for installation of all SaferRoads Modules. Approximate 11 Anchors Ea	26	16.60	
I2-8-15-TC-TOOLKIT	Traficop Installation Starter Tool Kit	1	3,804.60	3,804.60

PLEASE NOTE NEW ADDRESS ABOVE

DATE	DESCRIPTION	QTY	RATE	AMOUNT
I2-8-15-5DS	SaferRoads Deep Hex Head Impact Socket 1/2in Drive 17mm for installation of the Orca/Traficop/SiteCop/SiteCop Plus modules.	18	32.00	
I2-8-15-5TB	SaferRoads TORX BIT T40 x 1/2in Drive Black Oxide Torx Bit Socket for installation of the Traficop/Modular Median modules.	5	11.10	
I2-8-15-SK-DB	SaferRoads 9/16in x 10in x 12in Rock Carbide SDS Plus Hammer Drill Bit (For drilling holes)	28	105.50	
I2-8-15-RP-AG	Safer Roads 12-IN Air Nozzle with deflection disk (For blowing out drilled holes) for installation of all SaferRoads Modules.	2	63.60	
I2-8-15-5RGFIS	SaferRoads FIS RESIN GUN for installation of all SaferRoads Modules	2	45.95	
FREIGHT-SALES	This Charge is for Shipping and Handling of goods to customer.	1	2,200.00	2,200.00
Total AvaTax	Sales Tax calculated by AvaTax for 84004-V0 at Mon May 11 06:48:43 UTC 2026	1	0.00	0.00

TOTAL \$85,556.80

Accepted By

Accepted Date

PLEASE NOTE NEW ADDRESS ABOVE